

# HD 1080p LED Monitor

## M215LED2

21.5" LED monitor

### Features

- Flat-panel LED - backlit LCD
- HDMI, VGA (D-Sub 15 pins) and BNC video inputs
- 1920(H) x 1080(V) HD 1080p resolution
- Built-in speakers
- Convenient front controls for screen programming
- Input signal detection provides easy connection
- 250cd/m2 brightness
- 16:9 display ratio
- 1000:1 contrast ratio
- Displays up to 16.7 million colors
- Regulated 12VDC 5.0 amp (UL & CSA listed power supply included)
- VESA compatible
- 1 year warranty



ECO-FRIENDLY - LOW ENERGY CONSUMPTION  
GREENER THAN LCDs

### Specifications


#### M215LED2

Button Control	Power / OSD Control / Source
Display Resolution	1920 x 1080 @ 60 (Max)
Active Area	476.64(H) x 268.11(V)mm
LCD Panel Type	TN mode, Normally white
Dot Pitch	0.248(H) x 0.248(V)mm
Display Ratio	16:9
Display Color	16.7M colors
Brightness (Central)	250cd/m2
Contrast Ratio	1000:1
Viewing Angle	Left 85° / Right 85° / Up 80° / Down 80° CR>10
Response Time	5ms
Input Voltage	DC12V
Input Signal	1.0Vp-p
Input Impedance	75 ohm
Output Signal	1.0Vp-p±0.2Vp-p composite video (Auto Termination)
Scanning System	NTSC:525 lines, 60 fields / sec ; PAL:625 lines, 50 fields / sec
Video Input / Output	HDMIx1, Video In x 1 (BNC), Video Out x 1 (BNC), VGA x 1
Audio Input	Audio In x 2(L/R), PC-Audio In x 1
Operating Temperature	32°F ~ 122°F
Storage Temperature	-4°F ~ 140°F
Dimension	516(W) x 411.4(H) x 55(D)mm
Weight	N.W./G.W.: 7.937lb (7lb 14.99 oz) / 11.68lb (11lb 10.95 oz)

#### Optional Accessory



LCDVW3  
Swivel Wall Mount



M215LED2

**NDAA**  
COMPLIANT

\*Products are in compliance with NDAA Section 889 Part B Guidelines

**HDMI**®

The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries. Speco Technologies is constantly developing and improving products. We reserve the right to modify product design and specifications without notice and without incurring any obligation. Spec Rev. 11/2/22

800-645-5516 • Fax: 631-957-9142 or 631-957-3880 • specotech.com

**speco technologies**®